

Floor Covering Media

Your Gateway to the Floor Covering Industry

CDC Study



The CDC found a high level of the coronavirus on the floors and shoes of medical staff at a Chinese hospital that deals with COVID-19 patients, according to an early release of a CDC [study](#).



What were the findings? 94% of swabs taken from the ICU floor and 100% of swabs taken from one of the general wards used to treat patients with severe symptoms tested positive. Notably, the shoe soles of the ICU medical staff were tested. The results? 50% tested positive.




The floor space, which tested positive, were notably in areas of the hospital that prohibits patient access. Where exactly? The hospital pharmacy! As they traverse the hospital floors, is the ICU medical staff acting as carriers of the coronavirus?

Floor Covering Media

Your Gateway to the Floor Covering Industry




If these respiratory droplets are indeed falling to the floors, what preventive measures are in order, as gravity and air flow continue to spread the virus? What measures should a specialty flooring supplier recommend to address these critical issues in a care facility?



Floor Covering Media

Your Gateway to the Floor Covering Industry



Floor Covering Media publishes press releases called Flooring Updates.

Flooring Updates



FlooringMedia 1

Flooring Network

For those in the market and those that serve it

Floor Covering Media is a social media network.

Floor Covering Media

Your Gateway to the Floor Covering Industry

Floor Search

Answers to Questions About Flooring

Retrieve timely, objective news and
information at <https://www.floorsearch.info>.